# **Vector Distribution**

drop-down to change company

3 year ratios

Total capex /

<b>Explanatory</b>	documentation:	<u>Link</u>
--------------------	----------------	-------------

Total capex /


\$0.00m

Total capex /

0.0%

Summary statistics		5 year trend	3 year CAGR
Regulatory asset base	\$483m		+4.4%
Regulatory profit	\$44.9m-		+26.0%
Return on investment	10.92%		+22.4%
Line charge revenue	\$48.0m		+0.6%
Other income	\$0.0m		
Consumer connections	117,995		+1.9%
Total gas conveyed	13,160 TJ		-3.0%
Maximum daily load	57.1 TJ		-2.0%
Load factor	75.81%		-1.7%
Capital expenditure	\$27.4m		+0.5%
Operating expenditure	\$14.9m		+4.5%
Capital contributions	\$15.2m		+35.9%
Related party transactions	\$2.8m		-2.6%
System length	6,957km ——		+1.1%

## **Annualised RAB changes (2020–2022)**




# Line charge revenues

	Proportion of revenue	Charges per unit
Average daily charge	56.6%	37.6 ¢/ICP
Delivery (GJ)	43.4%	0.94 \$/GJ
2019		■ Fixed
2022		■ Variable

<u>Service</u>		5 year trend
Number of emergencies	104	1
Average call response time (hrs)	0.61	<b>1</b>
Proportion of emergencies responded to within 1 hour	100.0%	1
Proportion of emergencies responded to within 3 hours	100.0%	$\bigcirc$

System reliability and integrity	5 year trend
Planned interruptions on the network	427 35
Unplanned interruptions on the network	35
Interruption rate	6.6/100km 🧥
Confirmed public-reported gas escapes	19.0/1000km 🌵
Total SAIDI (minutes per 1000 customers)	952 🎍
Total SAIFI (interruptions per 1000 customers)	6.46 🎍

#### **Capital expenditure**




asset base	length	connections	depre	ciation
5.6%	\$3.75 per m	\$222 2		01
Capex by expenditu	re	Average (2020–2022)	5 year trend	% of capex
Consumer connection	n	\$16.40m —		63.7%
Asset replacement 8	renewal	\$3.08m		12.0%
Asset relocations		\$2.75m		10.7%
System growth		\$1.54m	_^	6.0%
Non-network assets		\$1.30m		5.1%
Reliability, safety & e	environment	\$0.68m —		2.6%
Total capital expend	ture	\$25.75m —		100.0%

Total capex / system

## **Operating expenditure**

Related party transactions



3 year ratios			
Total opex / asset base	Network opex / system length	Non-network opex / connections	Network opex / GJ
3.0%	\$0.81 per m	\$71	40.2¢ per GJ

Opex by expenditure category	Average (2020–2022)	5 year trend	% of opex
Business support	\$5.35m <i>-</i>		38.9%
Routine & corrective maintenance	\$3.30m =		24.0%
System operations & network support	\$2.85m -		20.7%
Service interruptions & emergencies	\$2.26m -		16.4%
Asset replacement & renewal	\$0.00m		0.0%
Total operating expenditure	\$13.76m		100.0%
Related party transactions	\$0.48m _		3.5%

Summary database: Link 2022



#### **Company details**

PQ Regulated?YesKnown price breach: NoYear end:30 JuneKnown quality breach: No

**Group Chief Executive:** Simon Mackenzie **Ownership:** 75.1% Entrust

24.9% free float

**Head Office:** 110 Carlton Gore Road, Auckland

**Phone number:** 0508 832 867

Website: www.vector.co.nz



#### **Pipeline assets**

Estimated state				
of the assets	IP Main pipes	Medium Pressure Main pipes	Low Pressure Main pipes	Service pipes
Quantity	239km	4,382km	0km	2,337km
PE/steel/other	0.0%/100.0%/0.0%	95.2%/4.8%/0.0%	100.0%/0.0%/0.0%	98.6%/1.3%/0.1%
Unknown grade	300.0%	393.0%	349.3%	299.8%
Grade 1 / 2	0.0% / 0.0%	0.0% / 0.4%	0.0% / 0.0%	0.0% / 0.2%
Unknown grade	0.0%	0.0%	0.0%	0.0%
Average age	31 years	22 years	42 years	20 years
Over generic age	0km (0.0%)	0km (0.0%)	0km (0.0%)	0km (0.0%)
Unknown age	0.0%	0.1%	0.0%	0.0%
5yr replacement req (es	t) 0.0%	0.2%	0.0%	0.1%
5yr planned replacemen	nt 0.0%	0.0%	0.0%	0.0%
Forecast repex (ave)	\$0k (-100%)	\$1,438k (+5%)	\$0k (+0%)	\$493k ( +135%)
Repex series	<b>^</b>	•••••••		<b></b>

### Non-pipeline assets

Estimated state of the assets	District Regulator Stations	Line Valves	Special Crossings	Other Network Assets
Quantity	194	3,496	90	101
RAB Value	\$6.8m	\$5.4m	\$3.1m	\$10.6m
Grade 1 / 2	0.0% / 0.0%	0.0% / 2.7%	0.0% / 6.1%	0.0% / 0.9%
Unknown grade	0.0%	11.6%	0.0%	0.0%
Average age	27 years	28 years	27 years	21 years
Over generic age	40 (20.6%)	0 (0.0%)	0 (0.0%)	74 (73.3%)
Unknown age	0.0%	2.7%	7.8%	8.9%
5yr replacement req (est)	0.0%	1.3%	3.0%	0.5%
5yr planned replacement	3.6%	0.0%	36.1%	27.6%
Forecast repex (ave)	\$477k (-22%)	\$282k (+42%)	\$607k (+20%)	\$254k (+79%)
Repex series	• • • • • • • • • • • • • • • • • • • •	<b></b>		<b>^</b>